

# BöttcherFount S-3010<sup>+</sup>

## Fountain Solution Additive

---

BöttcherFount S-3010+ is a fountain solution additive for sheet-fed offset and continuous form printing.

*Application*

- use at a concentration of 2 - 3 % for IPA-reduction to 6 - 8 %
- very stable ink-/water-balance
- reduced water pick-up of the ink, therefore higher ink densities obtained
- fast start-up and stable printing for long runs
- for water hardness 5 - 20° dH (total hardness)
- pH-value 4.8 - 5.0 (depending on water hardness)
- reduced calcium deposits on ink rollers
- suitable for UV and Hybrid inks as well as special inks containing metallic pigments
- corrosion inhibited
- minimises build-up of paper dust and ink on the blanket
- suitable for CTP plates
- effective plate protection during press stops
- suitable for copper rollers
- increased conductivity per % input: 390 µS/cm
- density 1.10 (kg/l)


*Features*

---

Before applying BöttcherFount S-3010+, the fountain system must be completely emptied and cleaned thoroughly, preferably using BöttcherPro Hydroclean.

Use BöttcherPro Calcit as a re-hardener for RO and soft water.

*Note*



- 20 kg can
- 200 kg drum

Package

BöttcherFount S-3010+ is classified according to EC-Directive 199/45/EC - in its latest version – and does not need to be marked.

Marking

All our product information you will find in the internet on [www.boettcher-systems.com](http://www.boettcher-systems.com)

#### Germany

Phone +49 221 4907-1  
Fax +49 221 4907-420  
koeln@boettcher-systems.com

#### Argentina

Phone +54 23 22 466 200  
Fax +54 23 22 496 951  
aschwald@boettcher-systems.com.ar

#### Australia

Phone +61 2 96 59 27 22  
Fax +61 2 96 59 27 44  
info-aus@boettcher-systems.com

#### Austria

Phone +43 223 686 070 1  
Fax +43 223 686 070 150  
office@boettcher.at

#### Brazil

Phone +55 11 26 18 18 66  
Fax +55 11 26 18 18 66  
fabio@boettcher.com.br

#### Baltic States

Phone +81 3 36 47 64 01  
Fax +81 3 36 47 64 11  
bottcher@bottcher.it

#### Canada

Phone +1 905 612 07 38  
Fax +1 905 612 81 27  
bob.nixon@boettcher-systems.com

#### Canada

Phone +1 905 612 07 38  
Fax +1 905 612 81 27  
bob.nixon@boettcher-systems.com

#### China - Suzhou

Phone +86 512 63 40 71 00  
Fax +86 512 63 40 75 57  
suzhou@boettcher-systems.com

#### Czech Republic

Phone +420 (0) 517 32 65 11  
Fax +420 (0) 517 34 17 18  
bottcher@bottcher.cz

#### Denmark

Phone +45 76 26 93 77  
Fax +45 75 62 39 87  
tekniskgummi@boettcher-systems.com

#### France

Phone +33 164 105 050  
Fax +33 164 410 890  
info@boettcher-france.com

#### Great Britain

Phone +44 12 00 42 53 00  
Fax +44 12 00 42 61 78  
salesandservices@boettcher-systems.com

#### Hong Kong

Phone +85 223 419 111  
Fax +85 223 419 155  
kammyli@bottcher.hk

#### Hungary

Phone +36 76 50 53 50  
Fax +36 76 50 53 52  
bottcher@bottcher.hu

#### India

Phone +91 12 44 00 17 94  
Fax +91 12 44 10 53 54  
info.india@boettcher-systems.com

#### Indonesia

Phone +62 21 46 83 29 36  
Fax +62 21 46 83 29 42  
ferdinand@bottcher.co.id

#### Italy

Phone +39 02 484 171  
Fax +39 02 484 173 42  
boettcher-italy@boettcher-systems.com

#### Japan

Phone +81 3 36 47 64 01  
Fax +81 3 36 47 64 11  
tomiyama@boettcher.co.jp

#### Malaysia

Phone +60 3 80 62 20 42  
Fax +60 3 80 62 42 03  
meishin@bottcher.com.my

#### Mexico

Phone +52 55 56 57 72 93  
Fax +52 55 56 57 94 19  
enrique.iturbe@boettcher-systems.com

#### Middle East

Phone +971 44 22 79 84  
Fax +971 44 22 76 94  
pius.marokky@boettcher.ae

#### Netherlands

Phone +31 416 69 71 90  
Fax +31 416 69 73 59  
service@boettcher.nl

#### Poland

Phone +48 22 731 61 10  
Fax +48 22 731 61 11  
office.pl@boettcher-systems.com

#### Russia

Phone +7 495 662 30 93  
Fax +7 495 662 30 94  
moscow@boettcher-systems.com

#### Singapore

Phone +65 64 63 21 31  
Fax +65 64 63 11 31  
bottcher@singnet.com.sg

#### Republic of Slovakia

Phone +421 263 813 624  
Fax +421 263 81 36 25  
bottcher@bottcher.sk

#### South Korea

Phone +82 31 907 67 81  
Fax +82 31 907 67 86  
cjpark@boettcher.co.kr

#### Spain

Phone +34 91 885 95 77  
Fax +34 91 885 92 68  
ventas@boettcher-systems.com

#### Sweden

Phone +46 565 165 70  
Fax +46 565 165 80  
info@boettcher.se

#### Switzerland

Phone +41 41 784 11 11  
Fax +41 41 784 11 12  
office.ch@boettcher-systems.com

#### Taiwan

Phone +886 282 286 848  
Fax +886 282 286 849  
barry.mao@boettcher.com.tw

#### Thailand

Phone +66 38 57 16 00  
Fax +66 38 57 16 08  
anurux.sasasmit@boettcher-systems.com

#### Turkey

Phone +90 212 659 93 38  
Fax +90 212 659 93 40  
ozan.karaca@boettcher-systems.com

#### Ukraine

Phone +38 44 513 80 09  
Fax +38 44 513 98 38  
office@bottcher.ua

#### USA

Phone +1 410 273 70 00  
Fax +1 410 273 71 74 74  
david.dinsmore@boettcher-systems.com

The purpose of these technical data is to assist our customers. We list general experience and laboratory test. Translation of these to actual applications is, however, subject to a variety of factors which are beyond our control. We ask for understanding that claims can not be based upon them.